


SHANDONG HAOXUAN IRON&STEEL CO.,LTD



SATISFYING YOUR ANY STEEL NEEDS



A photograph of an industrial facility, likely a refinery or chemical plant, at dusk. The sky is a mix of blue and orange, with scattered clouds. In the foreground, a tall, white, segmented smokestack stands prominently. To its left, a smaller stack with red and white horizontal stripes is visible. The background is filled with a complex network of pipes, metal structures, and various industrial buildings, some of which are illuminated by warm yellow lights. The overall scene conveys a sense of large-scale industrial operations.

Contents

1. About Us
2. Products Supplied
3. Service Provided
4. Why Us
5. Major Reference

About Us

Shandong HaoXuan Iron&Steel Co.,Ltd(**HaoXuan Steel**) is one of leading Chinese Steel Company committed to providing proven steel products to Oil & Gas, Petrochemical, Chemical, Fertilizer, Power Plants, Sugar Mills and Allied Industries projects.

We are an ISO9001 certified company and our products are confirming to strict international standards and client specifications.

Our product portfolio include:

- Pipes and Tubes
- Sheets and Plates
- Coils and Strips
- Galvanized Coils and PPGI
- Fittings and Flanges

Our products are available in both ferrous and non-ferrous material i.e. Carbon Steel, Stainless Steel, Duplex Stainless Steel, Aluminum, Inconel/Monel/Incoloy/Hastelloy and Cu-Ni Alloys etc.

We are also having expertise and experience on steel processing and pre-fabrication activities upon customer request.

We stand out from others, simply because we are a team of experienced engineers with highest attention to technical details and quality details. Backed by a network of steel mills, we have built robust capabilities and retained solid experiences in supplying steel and engineered products from reliable source at cost effective price within guaranteed delivery time.

At **Haoxuan Steel**, we will continue to add to our product lines and our overall capabilities in order to meet our customer's ever-expanding needs.

MISSION



To deliver quality steel products and dedicated services with competitiveness and efficiency followed by elaboration and robust expertise backed by combined years of experience and resources.

VISION



To become a Preferred Partner recognized by our Esteemed Customers, Entrusted Manufacturers and Strategic Partners.

VALUES



Endless in pursuit of Results

Products

- Pipes and Tubes
- Sheets and Plates
- Coils and Strips
- Galvanized Coils
- Fittings and Flange



Haoxuan Steel is committed to deliver quality steel products to support our customer on actualizing their business growth as desired and have retained successful experience in honoring our committment supported by in-house facilities and other steel mills.

Seamless Pipes-Carbon Steel

Standard	API 5L,ASTM
Diameter	21.3-914mm(0.5"-36")
Wall Thickness	2.77-120mm(0.109"-4.72")
Available Grade	API PSL1/PSL2,A.B,X42-X100,ASTMA53, A106 Grade A,B,C,A333.Gr.1-8,A335 P1-P92
Available Length	2-24m

Welded Pipes-ERW/HFW Process

Standard	EN10220/10217,DIN1626,DIN2458,JIS G3444
Diameter	21.3-660mm(0.5"-26")
Wall Thickness	0.6-19.9mm(0.024"-0.783")
Available Grade	API PSL1 A,B X42-X70,API PSL2,BM,X42-X80M EN S235-S450
Available Length	Random Length





Welded Pipes-LSAW Process

Standard	API 5L,ISO3183,EN10220/10217 DIN 1626,DIN2458,JIS G3445
Diameter	457-3500mm(18"-138")
Wall Thickness	6-120mm(0.236"-4.72")
Available Grade	API PSL1 A,B X42-X100,API PSL2,BM,X42-X100M ASTM A 139,A252,A53,A572,A671,A672,A691
Available Length	2.5-12.2m

Welded Pipes-SSAW Process

Standard	EN10220/10217,DIN1626,DIN2458,JIS G3444
Diameter	219-3505mm(8"-138")
Wall Thickness	5-25.4mm(0.2"-1")
Available Grade	API PSL1 A,B X42-X100,API PSL2,BM,X42-X100M EN S235-S450
Available Length	6-80m





Seamless Pipes-Austentic S.S.

Standard	ASTM A312, A213, A269, JIS3459,JIS3463,EN10216,GOST994
Diameter	6-762mm
Wall Thickness	0.5-60mm
Available Grade	304/L/H/LN,316/L/H/LN/Ti,321/H,317/L/LN, 347/H,310S/H,309S
Available Length	DRL

Seamless Pipes- Super/Duplex S.S

Standard	ASTM A789, A790
Diameter	12-426mm
Wall Thickness	0.8-30MM
Available Grade	S31500,S32101, S32003, S32304, S31803,S32205,S32750, S32760
Available Length	DRL





Steel Sheets and Plates-Carbon Steel

Standard	ASTM A6,A36,A572,S235/275JR,J0,J2,ASTM A283 Gr.A,B,C
Thickness	0.2-80mm
Width	1250-2700mm
Length	1-12meter or as required
Surface	Black,Galvanized,Painted

Steel Sheets and Plates-Stainless Steel

Standard	ASTM A240,304/304L/304H,310/316,321/321H,347, 405/409
Thickness	0.5-60mm
Width	200-2500mm
Length	1000-10000mm
Surface	Pickled/Polish





Steel Coils -Carbon Steel

Standard	ASTM/DIN/EN
Thickness	1-20mm(Hot Rolled),0.12-2mm(Cold Rolled)
Width	1000/1220/1250/1500/1800mm
Surface	

Steel Coils-Stainless Steel

Standard	ASTM SS304,304L,SS 316L
Thickness	2-6 mm
Width	1000/1220/1250/1500/1800mm
Surface	4K Finished
Delivery Condition	Annealing





Glavanized Coils

Standard	ASTM A792 CS Type Grade B, JIS G3302 SGCC, EN 10142
Thickness	0.23 - 1.60mm
Width	800 - 1250mm
Surface	Regular spangle, zero spangle etc
Coating	Zinc, Zinc-Iron Alloy,Single Side/Both Side

PPGI Coils

Standard	ASTM,EN,GB,JIS CGC340-CGC570,CGCD1-D3,DX51D,SGCC,SGCH etc
Thickness	0.14-2mm
Width	800-1250mm
Color	RAL Color





Fittings-Butt Weld Type

Standard	ASME B16.9,DIN2616,DIN2615,DIN2605,BS1640-3,JISB2313 GOST17375,GOST17378
Size Range	Equal/Reducing Elbow: 1/2"-72" Straight/Reducing Tee:1/2"-72" Lateral/Y Type Tee:1/2"-24" Straight/Reducing Cross:1/2"-48" Concentric/Eccentric Reducer:1/2"-60" Cap: 1/2"-60"
Available MOC	Stainless Steel: F304,304L,304H,316,316L,310,310S,321,321H,317,317L,347,347H,SS 31803,2205,2507 Carbon Steel: ASME A234 WPB Alloy Steel:A350-F2,A420-WPL6,A234-WP12,A234-WP11,A234- WP5,A234-WP91





Flanges


Standard	ANSI/ASME B16.5,B16.47,API 6A,JIS B2220-2004 EN1092-1:2007,GOST 12820
Size Range	WN Flange:1/2"-72" LWN Flange:1/2"-24" Slip-On/Bund Flange:1/2"-72" Spectale Blind Flange:1/2"-24" Socket Welding Flange:1-72" LAP Joint Flange:1/2"-60" Threaded Flange:1/2"-60" Plate Flange: 1/2"-72" Stud End:1/2"-60"
Available MOC	Stainless Steel:F304,304L,304H,316,316L,310,310S,321, 321H,317,317L,347,347H,SS31803,2205,2507 Carbon Steel:ASTM A105- St347-2 Alloy Steel:ASME A350 LF-2.ASTM A 182,Gr F1,F11,F22,F5,F9,F91



At Haoxuan Steel, we are also capable of providing diversified services i.e. Steel processing and Pre-fabrication works which suits special requirements from our customer and further support them on meeting tight project schedule at site within budget.




We are committed to become a reliable steel supplier for esteemed customers through our expertise backed by in-depth knowledge on steel industry and also our professionalism on detailed engineering, project execution, packing&logistics, documentation etc. which further differ us among our peers and support us meeting customer requirements



Documentation


- Engineering Documents
- Production Documents
- Quality Documents
- Shipping Documents
- Payment Documents
- Strength Calculation& Drawings
- Manufacturing Plan Schedule
- Inspection&Test
- Quality Assurance Plan
- Raw Material Test Certificate
- Raw Material Retest report
- Inspection Release note
- BL/Packing List/Insurance/COO

We are increasing our footprint globally following sucessful delivery on several orders receiving from our customers around the world, which underpins our committment to serve more customers supporting their project requirements for steel products on tight job schedule.




End Users

EPC Contractors



South Asia Region :	Thailand	Pakistan	India	Bangladesh
Middle East Region :	UAE	Kuwait	Iraq	
Africa Region :	Nigeria	Ghana		

SHANDONG HAOXUAN IRON&STEEL CO.,LTD



Room 1110, Floor 11,Fuying Tower #1,
No.443, Changjiang East Road,
Huangdao District,P.R.China
Tel. :+86-0532-8098-2117
Email:sales@hxsteelcn.com
Web :www.hxsteelcn.com